	Тур е	L #	Hits	Search Text	DBs	Time Stamp		Er ro rs
1	BRS	L1	21093	switch\$ near2 load\$	USPAT	2005/12/ 08 20:08	!	
2	BRS	L2	413127	amplif\$	USPAT	2005/12/ 08 21:35		
3	BRS	L3	22949	center near2 frequenc\$	USPAT	2005/12/ 08 21:35	į.	
4	BRS	L4	32992	(select\$ or switcht\$ or enabl\$ or on) near2 load\$	USPAT	2005/12/ 08 21:36		
5	BRS	L5	279392	transistor\$	USPAT	2005/12/ 08 21:37	l .	
6	BRS	L6	13	1 and 2 and 3 and 4 and 5	USPAT	2005/12/ 08 20:15		
7	BRS	L7	666181	frequenc\$	USPAT	2005/12/ 08 20:14	1	
8	BRS	L8	2447	2 and 4 and 5 and 7	USPAT	2005/12/ 08 20:15		
9	BRS	L9	112	3 and 8	USPAT	2005/12/ 08 20:24		
10	BRS	L1 0	255875	inductor\$ or capacitor\$	USPAT	2005/12/ 08 20:24		
11	BRS	L1 1	90	9 and 10	USPAT	2005/12/ 08 20:34	1	
12	BRS	L1 2	392	330/302.ccls.	USPAT	2005/12/ 08 20:35	1	

	Тур е	L #	Hits	Search Text	DBs	Time Stamp	Co mm en ts	De fi	Er ro rs
13	BRS	L1 3	584	330/129.ccls.	ILI Ç DATI	2005/12/ 08 20:38			
14	BRS	L1 4	926	330/51.ccls.	USPAT	2005/12/ 08 20:38			
15	BRS	L1 5	482	330/311.ccls.	USPAT	2005/12/ 08 20:51			
16	BRS	L1 6	6	9 and (12 or 13 or 14 or 15)	USPAT	2005/12/ 08 21:07			
17	BRS	Ь1 7	6	3 and 4 and 5 and (12 or 13 or 14 or 15)	USPAT	2005/12/ 08 21:09			
18	BRS	L1 8	6	3 and 4 and (12 or 13 or 14 or 15)	USPAT	2005/12/ 08 21:09			
19	BRS	L2 0	35	10 and 19	USPAT	2005/12/ 08 21:10			
20	BRS	L1 9	42	7 and 4 and (12 or 13 or 14 or 15)	USPAT	2005/12/ 08 21:10			
21	BRS	L2 1	541828		US-PGPUB; USOCR; EPO; JPO; DERWENT; IBM_TDB	2005/12/ 08 21:35			
22	BRS	L2 2	17601		US-PGPUB; USOCR; EPO; JPO; DERWENT; IBM_TDB	2005/12/ 08 21:36			

	Тур e	L #	Hits	Search Text	DBs	Time Stamp	Er ro r De fi ni ti on	Er ro rs
23	BRS	L2 3	14699	(select or switcht or switching or switchable or enable or enabled or on) near? (load or loads)		2005/12/ 08 21:37		
24	BRS	L2 4	519540	transistor or transistors	US-PGPUB; USOCR; EPO; JPO; DERWENT; IBM_TDB	2005/12/ 08 21:37		
25	BRS	L2 5	14	21 and 22 and 23 and 24	US-PGPUB; USOCR; EPO; JPO; DERWENT; IBM_TDB	2005/12/ 08 21:37		